



ZYE  
P.MIX-200



Volumetric dispensing system manufacture  
[www.precifluid.com](http://www.precifluid.com) – [contact@precifluid.com](mailto:contact@precifluid.com)



### Presentation of ZYE P.Mix-200

The ZYE P.Mix-200 is a planetary mixer conceived to perfectly mix, degas and remove all air bubbles of your fluids.

The vacuum system guarantees a complete desaeration until full suppression of the sub micron and nanosized air bubbles.

One of its benefits is the handling of the container that happens without getting in contact with the product.

The container revolves around an axis while rotating around itself. This is what guarantees an impeccable degasing that could not be reached by manual mixing.

This planetary mixer was designed running on roller in order to be optimally mobile.

With an optimum height, this one can be laid on the ground, considering it a real space saving on your working surfaces.

The ZYE P.Mix-200 technology is one of the few planetary mixers to possess a touch screen.

## Integrated Features

- Suitable for high viscosity material
- Fixed scale of revolution and rotation
- High speed, low temperature
- Single cup
- Multi-step parameter
- Dynamic balance




## ZYE P.Mix-200

- Powerful mixing capabilities delivered with acceleration of approximately 400G created by a revolution speed of 2,000 rpm.
- The excellent rigidity and durability of revolution section, axis and frames. Higher safety by vibration sensors and the lock functions on the cover.
- In spite of a broadened capacity, the size and weight are compact. The excellent portability for various applications such as in the medical, industrial and academic fields.
- Standard Speed Change feature. Process and control a wide range of materials and improve the quality
- Standard Step Mixing feature. 5 steps in one batch cycle can be programmed in each 5 memory slot.

## Specifications

Model	ZYE P.mix-200
Container Capacity	350 ml (cup)
Equipment capacity	120ml/200g
Revolution type	130-2000RPM
Rotation speed	Invariable
Vacuum	Exist in vaccum version
Protection	Door cover, Vibration, Over load, Vacuum leak
Power, voltage	0.8-1.5KW
Power Supply	AC220V.50HZ Power: 1.5Kw
Clamp	Yes
Dimension (mm)	L585 x W405 x H600
Weight	Net Weight Approx : 80 kg/ Gross Weight Approx : 90 kg



PDS S.A.S is a french company that commercializes a wide range of dosage equipments, proven and effective.

Distributed in over 20 countries around the world, these equipments provide tailored solutions to many users in order to improve technically their manufacturing and reduce their productions costs.

Our collaborators and sales engineers all have a strong technical competences. They are able to answer your questions and offer you, after analysis, the right solution for your particular need.

**FRANCE - AFRIQUE DU NORD**

Poly Dispensing Systems  
122, Chemin de la Cavée  
78630 Orgeval  
FRANCE

☎ + 33 (0)1 39 62 40 92

📠 + 33 (0)1 39 62 40 94

[www.polydispensing.com](http://www.polydispensing.com)

**BELGIQUE - HOLLANDE  
LUXEMBOURG**

Gentec Benelux  
Rue de L'Industrie,  
12 B-1400 Nivelles  
BELGIQUE

☎ +32 2 351 1800

📠 +32 2 351 1962

[www.gentec-benelux.com](http://www.gentec-benelux.com)

**- None contractual document -**

